

NOUVEAU

COMPARER



Vélos > Voir tous les vélos (/fr/bikes) > Anytour E+ (/fr/bikes-anytour-eplus-2019)

ANYTOUR E+ 2 LDS

2019

2 599 €



CARACTÉRISTIQUES TECHNIQUES



GÉOMÉTRIE



TECHNOLOGIES

RIDE FARTHER AND FASTER WITH THE ACTIVE YET COMFORTABLE ANYTOUR E+. DESIGNED FOR LONGER RIDES ON VARIABLE TERRAIN, IT'S A VERSATILE E-BIKE EXPERIENCE.

The AnyTour E+ has a comfortable, sporty and quiet feel with an 80Nm SyncDrive Sport motor that offers up to 350 percent tunable support ratios. You can fine-tune it for the riding characteristics you prefer. It has a 60mm suspension fork with a hydraulic lockout so you can adjust to the road conditions. A great choice for trekking, it has a 500Wh EnergyPak that can take

you far. The battery is seamlessly integrated into the downtube for a sleek profile, and the RideControl EVO offers navigation features with a clean handlebar mount.

FACTEURS CLÉS DE PERFORMANCE

TUNABLE SUPPORT

80Nm SyncDrive Sport motor offers up to 350 percent tunable support ratios, so you can fine-tune it for the riding characteristics you prefer.

NAVIGATION

The RideControl EVO offers navigation possibilities and is cleanly integrated into the handlebar.

EASY ON AND OFF

The low-step-through design makes it easy to mount and dismount and produces a confident, comfortable ride.


[↓ Téléchargez le fichier PDF \(/fr/bikes/generate-pdf-url/1061\)](/fr/bikes/generate-pdf-url/1061)

Tailles	XS, S, M, L
Coloris	Ruby Red
Cadre	ALUXX SL-grade aluminum frame, integrated daylight
Fourche	RST Volante HLO 50mm travel, tapered steerer, hydraulic lockout
Cintre	Aluminum Trekking bar
Potence	Aluminum angle adjustable
Tige de selle	Giant 30.9mm, 2-bolt Micro Adjustable, Forged Aluminium
Selle	Selle Royal Essenza gel
Pédales	VP191 light weight aluminum
Manettes	Shimano M2000
Dérailleur arrière	Shimano Deore
Freins	Shimano BR-MT201, hydraulic disc, 160mm
Leviers de frein	Shimano BL-MT201

Cassette	Shimano HG200, 11-34T, 9-Speed
Chaîne	KMC e.9 Sport, e-bike optimized
Pédalier	Giant aluminum, 42T
Jantes	Giant eX-2, Tubeless Ready, e-bike optimized
Moyeux	Giant Tracker Sport [F] 9mm QR [R] 135mm QR
Rayons	Stainless steel
Pneus	Schwalbe Energiser Life, 622x47mm, Kelvlar Guard
Extras	Giant EnergyPak Smart charger (60% charge in 60minutes)
Moteur	Giant SyncDrive Sport, 80Nm, 350% tuneable support
Capteurs	Giant PedalPlus 4-sensor technology
Console	Giant RideControl Charge
Batterie	Giant EnergyPak 400
Eclairage	Giant Numen iD integrated day-time LEDLezyne Hecto50 Pro 200Lumen LEDAxa Blueline rear LED
Porte-bagages	MIK rack. System bag & basket compatible
Poids	Quel est le poids du vélo ? C'est une question classique et importante. Il n'y a aucun standard dans l'industrie du vélo qui permet de comparer les poids des vélos d'une marque à une autre. Ce qui conduit très souvent à des mauvaises informations. Les différences reposent sur les tailles, les matériaux utilisés, les finitions, les éléments inclus ou non dans l'évaluation du poids,...Nous considérons que la seule manière d'évaluer le poids d'un vélo est tout simplement de l'essayer.

GUIDE DES TAILLES ET GÉOMÉTRIES

Ce guide est fait à titre indicatif, merci de bien contrôler avec revendeur pour confirmer ces informations.



mm	inches
----	--------

		S	M	L
B	ANGLE DE TUBE DE SELLE	72,5°	72,0°	72,0°
C	LONGUEUR DU TUBE SUPÉRIEUR (mm)	580	590	610
D	LONGUEUR DU TUBE DE DIRECTION (mm)	145	160	170
E	ANGLE DU TUBE DE DIRECTION	69,5°	69,5°	69,5°
H	EMPATTEMENT (mm)	1107	1112	1132
I	LONGUEUR FOURCHE DE PÉDALIER (mm)	470	470	470
K	STACK (mm)	620	634	643
L	REACH (mm)	384	384	401
P	LONGUEUR DES MANIVELLES (mm)	170	170	170

TECHNOLOGIES

Technologie Aluminium
ALUXX SL

Hybrid Cycling Technology

RideControl EVO

Technologie PedalPlus
4-Sensor

SyncDrive Sport

POWER YOUR JOURNEY

E-BIKE GUIDES

En savoir plus > (</fr/power-your-journey>)

Produits conformes aux exigences de sécurité (décret n°95-937). GIANT France se réserve le droit de modifier les spécifications sans préavis. Photos non contractuelles. Les prix sont librement fixés par les revendeurs Giant de ce fait ils n'apparaissent pas sur le site Internet.